

# Modal Superlatives

Maribel Romero

University of Konstanz

6th International Symposium of Cognition, Logic and Communication.


*Formal Semantics and Pragmatics: Discourse, Context, and Models.*

Riga, November 19-21, 2010

## 1. Introduction

- It is assumed that gradable adjectives denote relations between individuals and degrees: (1). Gradable adjectives are downward monotonic; that is, if Maribel is 156cm tall, then  $tall(m, 156cm)$  is true,  $tall(m, 155cm)$  is true,  $tall(m, 154cm)$  is true, etc.

(1) Maribel is 156 centimeters tall.



- The comparative morpheme *-er* and the superlative morpheme *-est* operate on the degree argument of gradable predicates. Intuitively:

(2) John is taller than Bill  $\Leftrightarrow$  John is tall to a degree to which Bill is not  
 $\Leftrightarrow \exists d [tall(j, d) \wedge \neg tall(b, d)]$  (Seuren 1973)

(3) John is the tallest (in group C)  
 $\Leftrightarrow$  John is tall to a degree to which nobody else in group C is tall  
 $\Leftrightarrow \exists d [tall(j, d) \ \& \ \forall z \in C [z \neq j \rightarrow \neg tall(z, d)]]$  (Heim 1999)

- Superlatives with modal modifiers like *possible* (Corver 1997, Larson 2000, Schwarz 05): Prenominal *possible* with superlatives, as in (4)-(5), gives rise to two readings. Some interesting syntactic restrictions have been observed: ① and ②.

- (4) I bought the largest possible present.  
 a. "Out of objects that were possible presents, I bought the largest one."  
 b. "I bought as large a present as it was possible for me to buy."
- (5) I talked to the fewest possible guests.  
 a. "Out of the individuals that were possible guests, I talked to the fewest."  
 b. "I talked to as few guests as it was possible for me to talk to."
- ⇒ Ambiguous: (a) Regular Noun modifier *possible*  
 (b) Modal superlative reading: "as X as possible"

- RESTRICTION ①: Postnominal *possible* only has modal superlative reading (Larson00).
- (6) I bought the largest present possible.
- \* "Out of objects that were possible presents, I bought the largest one."
  - "I bought as large a present as it was possible for me to buy."
- (7) I talked to the fewest guests possible.
- \* "Out of the individuals that were possible guests, I talked to the fewest."
  - "I talked to as few guests as it was possible for me to talk to."
- RESTRICTION ②: Prenominal *possible* requires syntactic locality with the superlative morpheme *-est* in order for the modal superlative reading to arise. (Schwarz 2005):
- (8) Ich habe das größt.e möglich.e Geschenk gekauft.  
 I have the largest.**Infl** possible.**Infl** present gekauft  
 'Out of the possible presents, I bought the largest one.' REGULAR MODIFIER
- (9) Ich habe das größt möglich.e Geschenk gekauft.  
 I have the largest possible.**Infl** present gekauft  
 'I bought as large a present as it was possible for me to buy.' MODAL SUPERLATIVE
- (10) I bought the largest **affordable** possible present.
- "Out of objects that were affordable possible presents, I bought the largest one."
  - \* "I bought as large an affordable present as it was possible for me to buy."
- (11) I bought the most **expensive** possible present.
- "Out of objects that were possible presents, I bought the most expensive one."
  - \* "I bought as expensive a present as it was possible for me to buy."

■ Previous analyses of the modal superlative reading:

- Larson (2000) on ①: *possible* + ACD generated postnominally; promotion to prenominal position.
- Schwarz (2005) on ②: non-decomposable degree operator *-est possible*.

(12)  $[-est\ possible]^w = \lambda P_{\langle s, dt \rangle}. \forall d [ \exists w' [wRw' \ \& \ P(w')(d)=1 ] \rightarrow P(w)(d)=1 ]$

■ MAIN GOAL of this talk

To provide a COMPOSITIONAL ANALYSIS of the MODAL SUPERLATIVE READING that:

- allows us to reconcile the observations ① and ② about its surface syntax,
  - ↳ *[-est possible]* (together with some covert material) will be treated as a syntactic unit (with Schwarz 2005, contra Larson 2000), further decomposable (contra Schwarz 2005).
  - ↳ The modal superlative reading arises from an LF structure with an ACD clause (with Larson 2000, contra Schwarz 2005).
- uses LF structures independently motivated for superlatives and degree constructions,
- and derives the correct truth conditions.
  - ↳ (4b): "I bought as large a present as it was possible for me to buy and no larger."

■ Consequences for the bigger picture of comparative and superlative constructions:<sup>1</sup>

- Comparative *-er*: crosslinguistically, we find a 3-place predicate *-er*, as in (13)-(14), and a 2-place predicate *-er*, as in (15)-(17) (Bhatt and Takahashi 2008).

(13) Atif-ne Boman-se zyaadaa kitaabe parh-i (Hindi-Urdu)  
 Atif-Erg Boman-than more books.f read-Pfv.FP1  
 'Atif read more books than Boman.'

(14)  $\lambda x_e. \lambda P_{\langle d, et \rangle}. \lambda y_e. \exists d [P(d)(y) \ \& \ \neg(P(d)(x))]$  (3-place *-er*)

(15) John is taller than Mary is.  
 a. LF: [-er [(than) 1 Mary is  $\langle t_1$ -tall>] ] [ 2 John is  $t_2$ -tall ]  
 b.  $\llbracket [2 \text{ John is } t_2\text{-tall}] \rrbracket^w = \lambda d'. \text{tall}(j, d')$   
 c.  $\llbracket [1 \text{ Mary is } t_1\text{-tall}] \rrbracket^w = \lambda d'. \text{tall}(m, d')$

(16)  $\lambda Q_{\langle d, t \rangle}. \lambda P_{\langle d, t \rangle}. \exists d [P(d) \ \& \ \neg(Q(d))]$  (2-place *-er*)

(17) John is taller than 2 meters.  
 a. LF: [-er [(than) 2 meters] ] [ 2 John is  $t_2$ -tall ]  
 b.  $\llbracket [2 \text{ John is } t_2\text{-tall}] \rrbracket^w = \lambda d'. \text{tall}(j, d')$   
 c.  $\llbracket [2 \text{ meters}] \rrbracket^w = \lambda d'. d' \leq 2m$   
 c'.  $\llbracket [2 \text{ meters}] \rrbracket^w = 2m$  [Cf. (1)]  
 Type shifter SHIFT =  $\lambda d'' \lambda d'. d' \leq d''$  [Cf. Partee (1987)]  
 SHIFT( $\llbracket [2 \text{ meters}] \rrbracket^w$ ) =  $\lambda d'. d' \leq 2m$

- Superlative *-est*: the 3-place predicate *-est* and the 2-place predicate *-est* have been proposed as theoretical alternatives to each other. Evidence for the 3-place lexical entry (18) comes from cases like (19), with overt argument of type  $\langle e, t \rangle$ . As a SECONDARY GOAL, the present talk provides EMPIRICAL EVIDENCE suggesting that we also need the 2-PLACE *-est* LEXICAL ENTRY in (20).

(18)  $\lambda C_{\langle e, t \rangle}. \lambda P_{\langle d, et \rangle}. \lambda x_e. \exists d [ P(d)(x) \ \& \ \forall z \in C [z \neq x \rightarrow \neg(P(d)(z))] ]$  (3-place *-est*)

(19) John is the tallest among the candidates.

(20)  $\lambda C_{\langle dt, t \rangle}. \lambda P_{\langle d, t \rangle}. \exists d [ P(d) \ \& \ \forall Q \in C [Q \neq P \rightarrow \neg(P(d))] ]$  (2-place *-est*)

■ Plot of the rest of this talk:

- §2. Background: LF analyses of superlatives.
- §3. Proposal using the 2-place lexical entry *-est*.
- §4. Attempts with the 3-place lexical entry *-est* and their drawbacks.
- §5. Concluding remarks.

<sup>1</sup> Thanks to Irene Heim (p.c.) for pointing out the relevance of the comparative data and of the 2-place/3-place discussion.

## 2. Background: LF analyses of superlatives

- Ambiguity found in superlatives with covert argument C (Szabolcsi 1986, Heim 1999):

- (21) John climbed the highest mountain.  
 a. ABSOLUTE reading: "John climbed a mountain higher than any other mountain."  
 b. RELATIVE reading: "John climbed a higher mountain than anybody else climbed."
- (22) Who wrote the largest prime number on the blackboard?  
 a. Nobody, of course! There is no largest prime number! ABSOLUTE reading  
 b. John did. He was the only one above 100. RELATIVE reading

### 2.1. Analysis of the ambiguity using 3-place *-est*. (Heim 1999)

- (23) 3-place lexical entry and presuppositions:  
 $[-est] = \lambda C_{\langle e,t \rangle} . \lambda P_{\langle d,et \rangle} . \lambda x_e . \exists d [ P(d)(x) \ \& \ \forall z \in C [ z \neq x \rightarrow \neg(P(d)(z)) ] ]$   
 Presuppositions:  
 (a) the third argument,  $x$ , is a member of the first,  $C$ .  
 (b) all the members of the comparison set  $C$  have the property  $P$  to some degree.

- Assumptions:

*-est* can undergo LF movement out of its host DP.

The definite article *the* is semantically vacuous. Instead, THE or A.


Thesis:

The LF position of *-est* determines  $P$ , which in turn delimits the possible choices for  $C$ , which in turn determines whether we get the absolute or the relative reading.

- The ABSOLUTE reading:

- (24) John climbed the highest mountain.

$\text{climb} (j, \alpha x_e . \exists d [ \text{mount}(x) \ \& \ \text{high}(x,d) \ \& \ \forall z \in C [ z \neq x \rightarrow \neg(\text{mount}(z) \ \& \ \text{high}(z,d)) ] ] )$




- (25) a. LF: John climbed [ THE [-est C] 1 [t<sub>1</sub>-high mountain] ]  
 b. Absolute reading:  $C = \{x: x \text{ is a mountain on earth} \}^2$

<sup>2</sup> (25a) also allows for the relative reading. See Heim (1999), Sharvit & Stateva (2002), Büring (2007).

■ The RELATIVE reading:

(26) John climbed the highest mountain.

$\exists d [ \exists z[\text{mount}(z) \ \& \ \text{high}(z,d) \ \& \ \text{climb}(j,z)] \ \& \ \forall y \in C [y \neq x \rightarrow \neg(\exists u \text{ mount}(u) \ \& \ \text{high}(u,d) \ \& \ \text{climb}(y,u))] ]$



(27) a. LF: John [-est C] 1 [climbed [A t<sub>1</sub>-high mountain] ]

b. Due to presuppositions in the lexical entry of *-est*, C has to be a set containing John and other (relevant) climbers of mountains with some degree of height or other.

**2.2. Analysis of the ambiguity using 2-place -est.** (Heim 1999)

(28)  $[-est] = \lambda C_{\langle dt, t \rangle}. \lambda P_{\langle d, t \rangle}. \exists d [ P(d) \ \& \ \forall Q \in C [Q \neq P \rightarrow \neg Q(d)] ]$   
 Plus presupposition: P is a member of C.

■ Assumptions:

*-est* can undergo LF movement out of its host DP.

The definite article *the* is semantically vacuous. Instead, THE or A.

Observation:

The relative superlative reading is sensitive to Focus: (29).

Thesis:

The LF position of *-est* determines whether we get the absolute or the relative reading.

The focus structure of the complement of *-est* shapes the reading further.

(29) a. John wrote the longest letter to MARY.

b. JOHN wrote the longest letter to Mary.

■ RELATIVE reading:

(30) JOHN climbed the highest mountain.

(31) LF: [-est C] 1[JOHN<sub>F</sub> climbed A t<sub>1</sub>-high mountain] ~ C  
 where  $C \subseteq \{ \lambda d. \text{John climbed a d-high mountain}, \lambda d. \text{Bill climbed a d-high mountain}, \lambda d. \text{Chris climbed a d-high mountain} \}$

(32)  $\exists d [ \text{John climbed a d-high mountain} \ \& \ \neg(\text{Bill climbed a d-high mountain}) \ \& \ \neg(\text{Chris climbed a d-high mountain}) ]$

■ ABSOLUTE reading [MR's version]

- (33) Extra assumption: Traces and other empty categories can be focus-marked.
- (34) a. I met the person that John wrote the longest letter to  $t_F$ . Cf. (29a)  
 b. I met the person that  $t_F$  wrote the longest letter to Mary. Cf. (29b)
- (35) How does one impress Mary?  
 By  $PRO_F$  writing the longest letter to her.
- (36) John climbed the highest mountain.
- (37) LF: John climbed THE 2 [ [-est C] 1[  $t_{2,F}$   $t_1$ -high mountain] ~ C ]  
 Hence, it is presupposed that  
 $C \subseteq \{ \lambda d. d\text{-high mountain (Everest)},$   
 $\lambda d. d\text{-high mountain (Kilimanjaro)},$   
 $\lambda d. d\text{-high mountain (Aneto)} \}$
- (38) John climbed the unique x:  $\exists d [ d\text{-high mountain}(x) \ \&$   
 $\forall Q \in C [ Q \neq \lambda d'. d'\text{-high mountain}(x) \rightarrow \neg Q(d) ] ]$

**3. Proposal using the 2-place lexical entry *-est*.**


- (39) John climbed the highest possible mountain.  
 a. Modal superlative reading: "He climbed as high a mountain as it was possible for him to climb".
- (40) 2-place lexical entry:  
 $\llbracket -est \rrbracket = \lambda C_{\langle dt, t \rangle}. \lambda P_{\langle d, t \rangle}. \exists d [ P(d) \ \& \ \forall Q \in C [ Q \neq P \rightarrow \neg Q(d) ] ]$   
 Plus presupposition: P is a member of C.

■ IDEA using the 2-place *-est* in (40):

- Sometimes the comparison argument slot  $\lambda C_{\langle dt, t \rangle}$  is filled by a free variable. Then the value of C is resolved contextually, often via focus, as in §2.2. Cf. comparatives (41).
- (41) a. John is taller.  
 b. John sent more pictures to MARY.  
 c. JOHN sent more pictures to Mary.
- Sometimes the comparison argument slot  $\lambda C_{\langle dt, t \rangle}$  is filled with syntactic material. The denotation of this material is directly fed into the slot  $\lambda C_{\langle dt, t \rangle}$ . We claim that this is the case of the modal superlative reading at issue. Cf. comparative in (42).
- (42) John is taller than Mary is / than 2m. (=(15), (17))

■ Example:

(43) John climbed the highest possible mountain.




(44) [-est [1 possible <John climbed A t<sub>1</sub>-high mount>]] [2 John climbed A t<sub>2</sub>-high mount]

- (45) a.  $\llbracket 2 \text{ John climbed } A t_2\text{-high mountain} \rrbracket = \lambda d. \exists x [\text{mount}(x) \ \& \ \text{climb}(j,x) \ \& \ \text{high}(x,d)]$   
 b.  $\llbracket \langle \text{John climbed } A t_1\text{-high mountain} \rangle \rrbracket = 1$  iff  $\exists x [\text{mount}(x) \ \& \ \text{climb}(j,x) \ \& \ \text{high}(x,g(1))]$   
 c.  $\llbracket \text{possible } \langle \text{John climbed } A t_1\text{-high mountain} \rangle \rrbracket = 1$  iff  $\diamond \exists x [\text{mount}(x) \ \& \ \text{climb}(j,x) \ \& \ \text{high}(x,g(1))]$   
 d.  $\llbracket I \text{ possible } \langle \text{John climbed } A t_1\text{-high mountain} \rangle \rrbracket = \lambda d. \diamond \exists x [\text{mount}(x) \ \& \ \text{climb}(j,x) \ \& \ \text{high}(x,d)]$   
 e.  $\llbracket \text{-est} \rrbracket = \lambda C_{\langle dt,t \rangle}. \lambda P_{\langle d,t \rangle}. \exists d [ P(d) \ \& \ \forall Q \in C [ Q \neq P \rightarrow \neg Q(d) ] ]$   
 f. SHIFT-D1 =  $\lambda D_{\langle d,t \rangle}. \lambda D'_{\langle d,t \rangle}. \exists d' [ D(d') \ \& \ D' = \lambda d''. d'' \leq d' ]$   
 g. SHIFT-D1 ( $\llbracket I \text{ possible } \langle \text{John climbed } A t_1\text{-high mountain} \rangle \rrbracket$ ) =  $\lambda D'_{\langle d,t \rangle}. \exists d' [ \diamond \exists x [\text{mount}(x) \ \& \ \text{climb}(j,x) \ \& \ \text{high}(x,d')] \ \& \ D' = \lambda d''. d'' \leq d' ]$   
 h.  $\llbracket \text{IP}^{**} \rrbracket = 1$  iff  $\exists d [ \exists x [\text{mount}(x) \ \& \ \text{climb}(j,x) \ \& \ \text{high}(x,d)] \ \& \ \forall D' [ (\exists d' [ \diamond \exists x [\text{mount}(x) \ \& \ \text{climb}(j,x) \ \& \ \text{high}(x,d')] \ \& \ D' = \lambda d''. d'' \leq d' ] \ \& \ D' \neq \lambda d. \exists x [\text{mount}(x) \ \& \ \text{climb}(j,x) \ \& \ \text{high}(x,d)]) \rightarrow \neg D'(d) ] ]$

Plus the presupposition: (45a) is a member of (45g). That is:  
 $\exists d' [ \diamond \exists x [\text{mount}(x) \ \& \ \text{climb}(j,x) \ \& \ \text{high}(x,d')] \ \& \ \lambda d. \exists x [\text{mount}(x) \ \& \ \text{climb}(j,x) \ \& \ \text{high}(x,d)] = \lambda d''. d'' \leq d' ]$

(46)



■ Further background assumptions:

- *Most* as *many* + *-est* (Hackl 2009).

(47)  $\llbracket \text{many} \rrbracket = \lambda d_d. \lambda x_e. |x| \geq d$  [Adapted from Hackl 2009]

- *Fewest* as *LITTLE* + *many* + *-est*, where *LITTLE* basically amounts to negation and can scope not just over the adjective it originates with but also higher. Cf. Rullmann's ambiguity in (48) (Heim 2006).

(48) Lucinda is driving less fast than is allowed on this highway.  
 a. "L is driving below the maximum speed limit"  
 LF for *than*-clause:  $\text{wh}_3 [t_3 \text{ LITTLE}] 4 [ \text{allowed Lu drive } t_4 \text{ fast} ]$   
 b. "L is driving below the minimum speed limit".  
 LF for *than*-clause:  $\text{wh}_3 \text{ allowed} [t_3 \text{ LITTLE}] 4 [ \text{Lu drive } t_4 \text{ fast} ]$

■ Further examples of modal superlatives:

(49) John climbed the most possible mountains.

(50) [-est [1 possible <John climbed  $t_1$ -many mounts>]] [2 John climbed  $t_2$ -many mounts]

(51) a.  $\llbracket 2 \text{ John climbed } t_2\text{-many mountains} \rrbracket = \lambda d. \exists x [\text{mount}(x) \ \& \ \text{climb}(j,x) \ \& \ |x| \geq d]$   
 b. SHIFT-D1 =  $\lambda D_{\langle d,t \rangle}. \lambda D'_{\langle d,t \rangle}. \exists d' [D(d') \ \& \ D' = \lambda d''. d'' \leq d']$   
 c. SHIFT-D1 ( $\llbracket 1 \text{ possible } \langle \text{John climbed } t_1\text{-many mountains} \rangle \rrbracket$ ) =  
 $\lambda D'_{\langle d,t \rangle}. \exists d' [ \diamond \exists x [\text{mount}(x) \ \& \ \text{climb}(j,x) \ \& \ |x| \geq d'] \ \& \ D' = \lambda d''. d'' \leq d' ]$   
 d.  $\llbracket (50) \rrbracket = \exists d [ \exists x [\text{mount}(x) \ \& \ \text{climb}(j,x) \ \& \ |x| \geq d] \ \& \ \forall D' [ (\exists d' [ \diamond \exists x [\text{mount}(x) \ \& \ \text{climb}(j,x) \ \& \ |x| \geq d'] \ \& \ D' = \lambda d''. d'' \leq d'] \ \& \ D' \neq \lambda d. \exists x [\text{mount}(x) \ \& \ \text{climb}(j,x) \ \& \ |x| \geq d]) \rightarrow \neg D'(d) ] ]$

Plus presupposition: (51a) is a member of (51c).

(52) John climbed the fewest possible mountains.

(53) [-est [1 possible <LITTLE John climbed  $t_1$ -many mounts>]] [2 LITTLE John climbed  $t_2$ -many mounts]

(54) a.  $\llbracket 2 \text{ LITTLE John climbed } t_2\text{-many mountains} \rrbracket = \lambda d. \neg \exists x [\text{mount}(x) \ \& \ \text{climb}(j,x) \ \& \ |x| \geq d]$   
 b. SHIFT-D2 =  $\lambda D_{\langle d,t \rangle}. \lambda D'_{\langle d,t \rangle}. \exists d' [D(d') \ \& \ D' = \lambda d''. d'' \geq d']$   
 c. SHIFT-D2 ( $\llbracket 1 \text{ possible } \langle \text{LITTLE John climbed } t_1\text{-many mountains} \rangle \rrbracket$ ) =  
 $\lambda D'_{\langle d,t \rangle}. \exists d' [ \diamond \neg \exists x [\text{mount}(x) \ \& \ \text{climb}(j,x) \ \& \ |x| \geq d'] \ \& \ D' = \lambda d''. d'' \geq d' ]$   
 c.  $\llbracket (53) \rrbracket = \exists d [ \neg \exists x [\text{mount}(x) \ \& \ \text{climb}(j,x) \ \& \ |x| \geq d] \ \& \ \forall D' [ (\exists d' [ \diamond \neg \exists x [\text{mount}(x) \ \& \ \text{climb}(j,x) \ \& \ |x| \geq d'] \ \& \ D' = \lambda d''. d'' \geq d'] \ \& \ D' \neq \lambda d. \neg \exists x [\text{mount}(x) \ \& \ \text{climb}(j,x) \ \& \ |x| \geq d]) \rightarrow \neg D'(d) ] ]$

Plus presupposition: (54a) is a member of (54c).



#### 4. Attempts with the 3-place lexical entry *-est* and their drawbacks.

(55) 3-place lexical entry:

$$\llbracket -est \rrbracket = \lambda C_{\langle e,t \rangle} . \lambda P_{\langle d,et \rangle} . \lambda x_e . \exists d [ P(d)(x) \ \& \ \forall z \in C [ z \neq x \rightarrow \neg(P(d)(z)) ] ]$$

Presuppositions:

- (a) the third argument,  $x$ , is a member of the first,  $C$ .
- (b) all the members of the comparison set  $C$  have the property  $P$  to some degree.

##### 4.1. Scoping 3-place *-est* inside the host NP.

■ LF and derived truth conditions:

(56) John climbed the most possible mountains.

(57) John climbed [ A [-est possible (...)] 1 t<sub>1</sub>-many mountains ]

$$\lambda y_e . \diamond \exists d [ \text{mountains}(y) \ \& \ |y| \geq d \ \& \ \text{climb}(j,y) ]$$
$$\lambda d_d . \lambda x_e . \text{mountains}(x) \ \& \ |x| \geq d$$

(58)  $\exists x [ \text{climb}(j,x) \ \& \ \exists d [ \text{mountains}(x) \ \& \ |x| \geq d \ \& \ \forall y \in \llbracket possible (...) \rrbracket [ y \neq x \rightarrow \neg(\text{mountains}(y) \ \& \ |y| \geq d) ] ] ]$

(59) Paraphrase:

"Out of the set of mountain-sums  $y$  that it is possible for John to climb, the cardinality of the sum  $x$  that John actually climbed is greater than the cardinality of any sum  $y$  non-overlapping with  $x$ ."

(Hackl 2009: for sums,  $y \neq x$  as "y does not overlap with x".)

■ Drawbacks:

- ⊗ Not clear how the elliptical material is recovered.
- ⊗ This compares certain mountain-sums and picks the/a particular sum that has the relevant property --"manyhood"-- to the highest degree. This produces not the Modal Superlative reading, but the reading "more than half of the permitted mountains".

##### 4.2. Scoping 3-place *-est* inside the host NP, plus amount reading.

■ LF and derived truth conditions:

(60) John climbed the fewest possible mountains.

(61) John climbed [A mountains IN A [-est possible (...)] 1 [[t<sub>1</sub> LITTLE LARGE] AMOUNT]]

$$\lambda n'_e . \diamond \neg \exists y \exists d [ \text{mountains}(y) \ \& \ |y| = n' \ \& \ \text{climb}(j,y) \ \& \ \text{large}(n',d) ]$$
$$\lambda d_d . \lambda n_e . \text{amount}(n) \ \& \ \neg \text{large}(n,d)$$

(62)  $\exists x [ \text{mountains}(x) \ \& \ \text{climbed}(j,x) \ \& \ \exists n [ |x| = n \ \& \ \exists d [ \neg \text{large}(n,d) \ \& \ \forall n' \in \llbracket possible (...) \rrbracket [ n' \neq n \rightarrow \text{large}(n',d) ] ] ] ]$

(63) Paraphrase:  
 "Out of the amounts  $n'$  such that it is possible for John to fail to climb  $n'$ -many mountains, there is a mountain-sum that John climbed whose cardinality is the smallest of those amounts."

■ Drawbacks:

- ⊗ Extra syntactic material needed: *LARGE AMOUNT*. Not clear how ellipsis is recovered.
- ⊗ The resulting truth conditions are too weak:

(64) Scenario: The rules in  $w_0$  permit that John climbs 10 mountains or more. In  $w_0$  John happens to climb exactly 15 mountains.


Sentence (60)	→	FALSE
Formula (62) / paraphrase (63)	→	TRUE

### 4.3. Scoping 3-place *-est* out of the host NP.

■ LF and truth conditions:

(65) John climbed the fewest possible mountains.

(66) [-est possible (...)] 1 LITTLE John climbed [A mountains IN A [[ $t_1$  LARGE] AMOUNT]]


  
 $\lambda n'_e. \diamond \neg \exists y \exists d$  [mountains(y) & climb(j,y) & |y| $\geq$ n' & amount(n') & large(n',d)]

$\lambda d_d. \lambda n_e. \text{amount}(n) \ \& \ \text{large}(n,d) \ \& \ \neg \exists x$  [mountains(x) & climb(j,x) & |x| $\geq$ n]

(67)  $\lambda n_e. \exists d$  [amount(n) & large(n,d) &  $\neg \exists x$  [mountains(x) & climb(j,x) & |x| $\geq$ n] &  $\forall n' \in$  [[possible (...)] [n' $\neq$ n  $\rightarrow$   $\neg$ (amount(n') & large(n',d) &  $\neg \exists x$  [mountains(x) & climb(j,x) & |x| $\geq$ n']]]]

■ Drawbacks:

- ⊗ Extra syntactic structure is still needed, and it is not clear how the indicated denotations would be built compositionally.
- ⊗ The top node of the computation ends up with the wrong type, but perhaps one can posit a default existential closure there.
- ⊗ We would need to assume two formal predicates *large*: amount 15 is larger than amount 10 when we talk about climbed amounts, but the other way around when we talk about unclimbed amounts.
- ⊗ The type of LF used is that for relative readings. But, if the 3-place version of *-est* and *LITTLE* can extract that high in (66), then one would expect for them to also be able to extract to the position immediately under *John*. This would derive a spurious relative reading for (65) comparing mountain-climbers and their achievements: (68).

(68) Missing relative reading wrt mountain-climbers:

- a. LF: John [-est possible (...)] 1 LITTLE climbed [A mountains IN A  $t_1$  LARGE AMOUNT]
- b. Paraphrase: "Of the mountains climbers for whom it is allowed to fail to climb some amount of mountains, John is the one for whom the greatest failure is allowed."

## 5. Concluding remarks

- A compositional analysis of the modal superlative reading has been proposed that:

- (i) reconciles the observations about its surface syntax, namely:
  - Locality requirement: [-*est* [*possible* ▲]] is a syntactic unit.
  - Prenominal *possible* can be a regular N-modifier or a reduced Relative Clause. Regular adjectival modifiers do not generally postpone in English; (reduced) Relative Clauses can postpone. Hence, if *possible* appears postnominally, it must be introducing a reduced Relative Clause with an elided IP. This reduced RC with ellipsis can in principle be interpreted as ranging over degrees (= modal superlative reading), or as relative clause ranging over individuals (=regular modifier reading). However, it seems that, independently of *-est*, reduced RCs with ellipsis cannot be interpreted as ranging over individuals: (69). We leave this question open for future research.

- (69) a. I bought a present that it was possible for me to buy.  
 b. I bought a present possible for me to buy.  
 c. \* I bought a present possible.

- (ii) uses ingredient and Logical Form structures independently motivated for superlatives and/or other degree constructions:
  - 2-place lexical entry for *-est*. Cf. comparatives.
  - The complement (the comparison set) of *-est* filled out with syntactic material other than a free variable.
  - Type shift SHIFT in several versions
  - Relative LF
  - Decomposition of *most* as *many* + *-est* and *least* as *LITTLE* + *many* + *-est*.
  - Scope of *LITTLE*

- (iii) and derives the desired truth conditions:  
 "(exactly) as X as possible"

- Attempts at deriving the modal superlative reading with the 3-place lexical entry for *-est* present problems: (a) they require extra syntactic material, (ii) they fail to generate the correct truth conditions for the modal superlative reading, and/or (iii) they generate spurious readings together with the correct ones.
- The bigger picture of comparatives and superlatives:  
 If the analysis presented here is correct, it provides empirical motivation for a separate 2-place *-est*.

- (70) Comparative *-er*:
- a.  $\lambda x_e. \lambda P_{\langle d, et \rangle}. \lambda y_e. \exists d [P(d)(y) \ \& \ \neg(P(d)(x))]$  (3-place)
  - b.  $\lambda Q_{\langle d, t \rangle}. \lambda P_{\langle d, t \rangle}. \exists d [P(d) \ \& \ \neg(Q(d))]$  (2-place)

- (71) Superlative *-est*:
- a.  $\lambda C_{\langle e, t \rangle}. \lambda P_{\langle d, et \rangle}. \lambda x_e. \exists d [P(d)(x) \ \& \ \forall z \in C [z \neq x \rightarrow \neg(P(d)(z))]]$  (3-place)
  - b.  $\lambda C_{\langle dt, t \rangle}. \lambda P_{\langle d, t \rangle}. \exists d [P(d) \ \& \ \forall Q \in C [Q \neq P \rightarrow \neg(P(d))]]$  (2-place)

## REFERENCES

- Bhatt, R. and S. Takahashi. 2008. When to reduce and when not to: crosslinguistic variation in phrasal comparatives, GLOW XXXI.
- Büring, D. 2007. Comparative Sandwichology, WECOL.
- Corver, N. 1997. Much-support as last resort, *Linguistic Inquiry* 21:119-164.
- Hackl, M. 2009. On the Grammar and Processing of Proportional Quantifiers: *Most* versus *More Than Half*, *Natural Language Semantics* 17.1: 63-98.
- Heim, I. 1999. Notes on Superlatives. MIT lecture notes.
- Heim, I. 2006. Little. In *Proceedings of SALT XVI*. Cornell: CLC Publications.
- Larson, R. 2000. ACD in AP? paper presented at WCCFL 19.
- Partee, B. 1987. Noun phrase interpretation and type shifting principles, in J. Groenedijk et al. (eds.) *Studies in Discourse Representation Theory and the theory of generalized quantifiers*. Dordrecht: Foris.
- Rullmann, H. 1995. *Maximality in the semantics of WH-constructions*. Amherst: GLSA.
- Schwarz, B. 2005. Modal Superlatives, in *Proceedings of SALT XV*. Cornell: CLC Publications. Pp. 187-204.
- Sharvit, Y. and P. Stateva. 2002. Superlative Expressions, Context, and Focus, *Linguistics and Philosophy* 25:453-505.
- Seuren, P. A. M. 1973. The Comparative. In: F. Kiefer and N. Ruwet, eds., *Generative Grammar in Europe*.
- von Stechow, A. 1984. Comparing semantic theories of comparison, *Journal of Semantics* 3:1-77.
- Szabolcsi, A. 1986. Comparative Superlatives, in N. Fukui et al., eds., *Papers in Theoretical Linguistics*, MITWPL 8, Cambridge.